

From: [McKenna, James \(Jim\)](#)
To: [Kristine Koch/R10/USEPA/US@EPA](#); [rjw@nwnatural.com](#); [RICKA@BES.CI.PORTLAND.OR.US](#)
Cc: [cstivers@anchorenv.com](#); [voster@anchorenv.com](#); [Chip Humphrey/R10/USEPA/US@EPA](#); [Eric Blischke/R10/USEPA/US@EPA](#); [Valerie Oster](#)
Subject: RE: Stormwater FSP & QAPP Approval
Date: 02/20/2007 08:17 AM

Thanks Kristine, we will incorporate that change. Jim.

-----Original Message-----

From: Koch.Kristine@epamail.epa.gov
[mailto:Koch.Kristine@epamail.epa.gov]
Sent: Tuesday, February 20, 2007 7:48 AM
To: McKenna, James (Jim); [rjw@nwnatural.com](#); [RICKA@BES.CI.PORTLAND.OR.US](#)
Cc: [cstivers@anchorenv.com](#); [voster@anchorenv.com](#);
[humphrey.chip@epamail.epa.gov](#); [blischke.eric@epa.gov](#); Valerie Oster
Subject: Fw: Stormwater FSP & QAPP Approval

Jim, Bob and Rick,

Since EPA approved the Stormwater FSP on February 15, 2007, the Stormwater Technical Team has made a change in one of the sampling points at Oregon Steel Mills (OSM). This change was due to OSM installing a treatment system on the outfall (WR-24) proposed in the February 7, 2007, FSP submitted by the LWG. The addition of treatment to this outfall would not allow the data to meet the objective of this sampling event (i.e., to determine stormwater contributions to fish tissue) since the fish tissue data was collected prior to the installation of treatment. Consequently, EPA approves sampling at outfall WR-22 to obtain the information from this site. Please include this change in the FSP revision due on March 1, 2007.

Thanks,

Kristine Koch
Remedial Project Manager
USEPA, Office of Environmental Cleanup
1200 Sixth Avenue, M/S ECL-115
Seattle, WA 98101
(206)553-6705
(206)553-0124 (fax)
1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time, only)
----- Forwarded by Kristine Koch/R10/USEPA/US on 02/20/2007 07:38 AM

Carl Stivers < cstivers@anchor env.com >	To
02/16/2007 04:28 PM	Chip Humphrey/R10/USEPA/US@EPA, Eric Blischke/R10/USEPA/US@EPA cc
	Valerie Oster < voster@anchorenv.com >, Kristine Koch/R10/USEPA/US@EPA, jim.mckenna@portofportland.com , rjw@nwnatural.com , RICKA@BES.CI.PORTLAND.OR.US
	Subject RE: Stormwater FSP & QAPP Approval

Chip and Eric -

We are moving forward with stormwater sampling and revisions to the Stormwater FSP per the approval below. However, we noted that one sampling location change was agreed to among the Stormwater Tech. Team during this review period but was not reflected in EPA's comments. The change is to sample at WR-22 instead of WR-24 at the Oregon Steel Mills Site.

Could one of you provide an email requesting this one additional change (which would also be made in the final FSP due back to EPA by March 1, 2007)? This would provide a paper trail for us to document the reason for this one additional change. Thanks very much.

Carl

Carl Stivers
Anchor Environmental, L.L.C.
1423 3rd Avenue, Suite 300
Seattle, WA 98101-2226
Phone: 206-287-9130
Fax: 206-287-9131

[cstivers@anchorenv.com](#)

This electronic message transmission contains information that is

intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130, or by electronic mail, cstivers@anchorenv.com.

-----Original Message-----

From: Koch.Kristine@epamail.epa.gov
[mailto:Koch.Kristine@epamail.epa.gov]
Sent: Thursday, February 15, 2007 2:17 PM
To: jim.mckenna@portofportland.com; rjw@nwnatural.com;
RICKA@BES.CI.PORTLAND.OR.US
Cc: Carl Stivers; Valerie Oster; humphrey.chip@epamail.epa.gov;
blischke.eric@epa.gov
Subject: Stormwater FSP & QAPP Approval

Jim and Bob - Attached is a copy of EPA's approval letter for the FSP and QAPP and the requested revisions to the FSP.

(See attached file: Stormwater FSP approval letter Feb 07.pdf)(See attached file: Stormwater FSP approval letter Feb 07-Attachment A.pdf)

Kristine Koch
Remedial Project Manager
USEPA, Office of Environmental Cleanup
1200 Sixth Avenue, M/S ECL-115
Seattle, WA 98101
(206)553-6705
(206)553-0124 (fax)
1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time, only)